

## CSC-314: Final Project Rubric

### Option A Projects

**Note:** If you have any questions about the acceptability of your code, or whether the use of packages or libraries is allowed, you should contact me.

For programming projects, documentation is worth 25% and program functionality is worth the remaining 75%. In addition to your code, appropriate input files must also be submitted.

	Poor (C or below)	Acceptable (B range)	Excellent (A range)
Documentation (all programs)	Code documentation is minimal or not provided. Variable and function names are not descriptive and the code is formatted poorly, making the program difficult to read.	The majority of functions and major code segments are documented. Variable and function names are chosen appropriately and proper formatting (such as indentation) is used in the majority of the code. The algorithm is easy to follow but some aspects of the code are not.	All functions and major code segments are properly documented. Variable and function names are chosen appropriately and proper formatting (such as indentation) is used, making the program logic easy to follow.
Input files (all programs)	No input files are provided		An appropriate input file or files are provided. Your code will be tested on this input file and possibly others. Even if your code is not completely working, the input file provided will be used to award partial credit, if appropriate.
Translation Program	The program does not work correctly (sequences are not translated correctly)	The program works correctly but is not user-friendly. For example, the user cannot specify the name of the file.	The program works correctly. DNA/RNA sequences are read from a specified file (it is assumed that the sequence is written in the 5' to 3' direction). The program translates all 6 reading frames, and open reading frames are highlighted. The program is user-friendly and handles both lower- and upper-case nucleotide characters.
Pairwise Alignment Program	The program does not work correctly (the score of the optimal alignment is not correct and the optimal alignment cannot be found)	The program works correctly but is not user-friendly. For example, the alignment is correct but is not displayed in the standard format.	The program works correctly and is not case-sensitive. The user can upload two sequences stored in a single file or stored in separate files. A dynamic programming matrix is created in order to find the score of the optimal alignment and a traceback procedure is used to find and display the optimal alignment.
Gene Prediction Program	The program does not work correctly, and either does not identify likely genes, or mistakenly identifies regions	The program has small mistakes that prevent correct identification of all potential genes. For example, the program requires that the	The program is user friendly, works correctly, and is not case-sensitive. The user uploads a file containing one or more sequences in FASTA

	that do not have all of the desired properties.	Shine-Dalgarno sequence matches exactly, rather than allowing mismatches.	format. For each sequence, the program outputs the number of predicted genes, and for each predicted gene, the location and length of the CDS.
Exon/Intron Boundaries	The program does not work correctly, for example does not read in the sequence data and does not sufficiently (attempt) to characterize the exon/intron boundaries	The program has small mistakes that prevent the correct characterization of exon/intron boundaries; or doesn't output the results correctly to the file; or doesn't generate a correct graph of the results	The program correctly reads in sequence records in FASTA format and correctly extracts the introns. For all introns, the program correctly counts the number of nucleotides at each position (the first 4 and last 4 nucleotides of an intron), and outputs the results to a csv file. The csv file is converted to an Excel spreadsheet and a stacked bar graph is produced that summarizes the consensus sequences for the exon/intron boundaries. The correct input file or files are obtained from the UCSC table browser.
Viterbi Algorithm	The program does not work correctly.	The program has minor mistakes and/or output is not correct. For example, the correct probabilities are calculated, but the traceback is not correct, and the correct optimal state is not displayed.	The program is user friendly, and works correctly, generating the optimal sequence of hidden states for 3 coin tosses, where observed values (e.g., <i>heads, tails, heads</i> ) are specified by the user. Probabilities are on the <i>log2</i> scale. The HMM follows the example we did in class.

### Option B Projects

	Poor (C or below)	Acceptable (B range)	Excellent (A range)
Analysis (75%)	Work is not acceptable if the link is not shared.	Your history is shared with me (via a link). The analysis is mostly correct but one or two steps or settings may be missing.	Your history is shared with me (via a link). The analysis follows the tutorial and is correct.
Write-up (25%)	Answers are not submitted in the form of a written report that forms a cohesive narrative.	The write-up is a cohesive narrative, but may include several spelling or grammatical mistakes. One aspect (such as the objective) is missing	The write-up is a cohesive narrative that briefly describes the methods (tools) used, the objective, and summarizes the results of your analysis. Little or no spelling or grammatical mistakes are made.

### Option C Projects

	Poor (C or below)	Acceptable (B range)	Excellent (A range)
Questions (25%)	The majority of your questions have not been answered or are not correct	A small number of questions have not been answered or are not correct.	All or nearly all questions are answered correctly.
Write-up (25%)	Answers are not submitted in the form of a written report that forms a cohesive narrative.	The write-up is a cohesive narrative, but may include several spelling or grammatical mistakes.	The write-up is a cohesive narrative. Little or no spelling or grammatical mistakes are made.
Methods (25%)	No methods are included.	Almost all methods are included.	The write up describes all methods used to obtain your answers. These methods should be specific enough to be repeatable (i.e., so I can get the same answers as you; see below). You may choose to include a separate Methods section or integrate the methods with your answers (see below).
Screenshots (25%)	No screenshots are included	Almost all screenshots are included	Screen shots of all key results and methods are included, which includes but is not limited to: GenBank queries, GenBank or GenPept entries, OMIM entries, BLAST results, <del>and</del> <del>GEO2R results.</del>

Example question: How many RefSeq entries are there for the keyword "insulin"?

Example answer: There are 30,286 RefSeq entries for the keyword "insulin". This was determined by searching for "insulin" (without the quotes) from the GenBank website (<https://www.ncbi.nlm.nih.gov/genbank/>). From the side panel, selecting RefSeq under source databases yielded 30,286 results (see screenshot on next page).

**Nucleotide**   [Create alert](#) [Advanced](#)

NCBI is phasing out sequence GI numbers in September 2016. Please use accession.version! [Read more...](#)

Species: Animals (27,758), Plants (122), Fungi (705), Protists (83), Bacteria (1,613), Archaea (3), Viruses (2), Customize ...

Molecule types: genomic DNA/RNA (12,947), mRNA (16,898), Customize ...

Source databases: ☒ RefSeq (30,286), Customize ...

Summary ▾ 20 per page ▾ Sort by Default order ▾

**Items: 1 to 20 of 30286**

Filters activated: RefSeq. [Clear all](#)

1. ☐ [Aplysia californica insulin precursor \(PIN\), mRNA](#)  
 968 bp linear mRNA  
 Accession: NM\_001204686.1 GI: 325296756  
[GenBank](#) [FASTA](#) [Graphics](#)

2. ☐ [Aplysia californica isolate F4 #8 unplaced genomic scaffold, AplCal3.0 scaffold00858, whole genome shotgun sequence](#)  
 314,614 bp linear DNA  
 Accession: NW\_004798128.1 GI: 523418921  
[GenBank](#) [FASTA](#) [Graphics](#)

Send to: ▾ **Filters:** [Manage Filters](#)

**Results by taxon**

Top Organisms [\[Tree\]](#)  
 Homo sapiens (1921)  
 Mus musculus (1498)  
 Rattus norvegicus (909)  
 Salmo salar (369)  
 Bos taurus (311)  
 All other taxa (25278)  
[More...](#)

**Find related data**  
 Database:

### Note for group projects:

1. For Option A projects, documentation must include the person responsible for writing the code (this will generally be at the function / module level)
2. For Option B projects, both individuals must complete the tutorial and submit a link. However, you may submit one report for both of you.
3. For Option C projects, you must include a contribution section at the end which describes the contribution for each individual. In this section, it is customary to use initials (e.g., GD instead of Garrett Dancik). *Example:* GD retrieved sequences from GenBank, and performed the BLAST analysis. AFP analyzed the gene expression data using the Gene Expression Omnibus (GEO) and collected relevant information from the OMIM database.